Basic Pedestal

Sec. 70

PAGE 975 AUGUST 2023



Standard Centrifugal Pump Model VG5B3-B

Size 6" x 5"

PUMP SPECIFICATIONS

Size: 6" x 5" (152 mm x 127 mm) Flanged.

Casing: Gray Iron 40.

Maximum Operating Pressure 110 psi (758 kPa).* Enclosed Type, Six Vane Impeller: Gray Iron 40. Handles 7/8" (7,7 mm) Diameter Spherical Solids.

Impeller Shaft: Steel 1045. Shaft Sleeve: Stainless Steel 420.

Seal Plate: Gray Iron 40.

Bearing Housing: Gray Iron 40.

Radial Bearing: Open Single Row Ball.
Thrust Bearing: Open Double Row Ball.

Bearing Lubrication: SAE 30 Non-Detergent Oil.

Gaskets: Nitrile Rubber.

O-Ring: Fluorocarbon (DuPont Viton® or Equivalent).

Hardware: Standard Plated Steel.


Oil Level Sight Gauge.

Optional Equipment: NPT Suction and Discharge


Flanges. Strainer. Stainless Steel Impeller. Mechanical Seal with Fluorocarbon Elastomers (DuPont Viton® or Equivalent). Manual Discharge Check Valve.

*Consult Factory for Applications Exceeding Maximum

Pressure and/or Temperature Indicated.







SEAL DETAIL

Type 1, Mechanical, Self-Lubricated. Carbon Rotating Face. Ceramic Stationary Seat. Buna-N Elastomers. Stainless Steel Cage and Spring. Maximum Temperature of Liquid Pumped, 160°F (71°C).*



GORMAN-RUPP PUMPS

www.grpumps.com


Specifications Subject to Change Without Notice

Printed in U.S.A.


Specification Data

SECTION 70, PAGE 975

APPROXIMATE DIMENSIONS and WEIGHTS NET WEIGHT: 368 LBS. (167 KG.) SHIPPING WEIGHT: 380 LBS. (172 KG.) EXPORT CRATE: 20 CU. FT. (0,57 CU. M.)



PERFORMANCE BASED ON WATER





GORMAN-RUPP PUMPS

www.grpumps.com

Specifications Subject to Change Without Notice

Printed in U.S.A.

Curve Data


BASED ON

WATER

Sec. 70

PAGE 975.1


AUGUST 2023



PERFORMANCE

BASED ON

WATER





GORMAN-RUPP PUMPS

www.grpumps.com


Specifications Subject to Change Without Notice

Curve Data

Sec. 70

PAGE 975.2

AUGUST 2023



PERFORMANCE BASED ON WATER



GORMAN-RUPP PUMPS

www.grpumps.com

Specifications Subject to Change Without Notice

Printed in U.S.A.